

From: Shawn Garvin/R3/USEPA/US
Sent: 1/4/2012 3:50:03 PM
To: Bob Sussman/DC/USEPA/US@EPA
CC:
Subject: Fw: Hot Site Report - Dimock GW Site - Update #2

Bob - Here is an update. I need to talk to you about the ATSDR report. Also, HQ has been forwarding up to us 100s of message that the Administrator has been receiving related to Dimock for response. We will need to coordinate on the responses.

Thank you - Shawn

----- Forwarded by Shawn Garvin/R3/USEPA/US on 01/04/2012 03:48 PM -----

From: Gerald Heston/R3/USEPA/US
To: R3 HOTSITES
Date: 01/04/2012 03:47 PM
Subject: Hot Site Report - Dimock GW Site - Update #2

Residential well survey results to-date: The 19 wells included in the Consent Order between PADEP and Cabot were prioritized for the survey. 12 of these 19 wells have been surveyed. None are reported to be drinking raw well water. There is a combination of bottled water, water buffaloes and treatment systems in use. 2 additional surveys are scheduled for this evening. Survey teams have been unable to contact 3 residents so far.

4 other wells in the immediate neighborhood of the original 19 have also been surveyed. None are reported to be drinking raw well water, but are drinking bottled water provided by Cabot.

Well surveys will continue thru this week and updated results will be provided as they are collected and summarized.

Gerald T. Heston, Chief
Eastern Response Branch (3HS31)
U. S. Environmental Protection Agency - Region 3
1650 Arch Street
Philadelphia, PA 19103

Phone: 215-814-3273
Fax: 215-814-3254